Neuroscience Letters, 230 (1997) 202–204
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Abreu, P., see Sajnani, G.G., 121
Adelsberger, H., Scheuer, T., Dudel, J., A patch clamp study of a glutamatergic chloride channel on pharyngeal muscle of the nematode *Ascaris suum*, 183
Akaike, N., see Westh-Hansen, S.-E., 45
Althaus, J., see Lutz, T.A., 159
Altura, B.M., see Altura, B.T., 37
Altura, B.T., Memon, Z.I., Zhang, A., Cheng, T.P.-O., Silverman, R., Cracco, R.Q., Altura, B.M., Low levels of serum ionized magnesium are found in patients early after stroke which result in rapid elevation in cytosolic free calcium and spasm in cerebral vascular muscle cells, 37
Ammer, H., Schulz, R., Regulation of stimulatory adenylyl cyclase signaling during forskolin-induced differentiation of mouse neuroblastoma × rat glioma (NG108–15) cells, 143
Anderson, L.I., see Dluzen, D.E., 140
Anderton, B.H., see Cairns, N.J., 49
Andreas, K., see Li, S.-N., 85
Atkinson, P.F., see Cairns, N.J., 49
Averbeck, B., see Schmelz, M., 117

Babb, T.L., see Chakravarty, D.N., 175
Barr, P.M., see Malinowski, M.N., 81
Bickel, A., see Schmelz, M., 117
Binienda, Z., Kim, C.S., Increase in levels of total free fatty acids in rat brain regions following 3-nitropropionic acid administration, 199
Bolaños-Badillo, E., see Roldán, G., 93
Bonmann, E., Suschek, C., Spranger, M., Kolb-Bachofen, V., The dominant role of exogenous or endogenous interleukin-1 beta on expression and activity of inducible nitric oxide synthase in rat microvascular brain endothelial cells, 109
Bräter, M., see Li, S.-N., 85
Burke, R.E., see Henchcliffe, C., 41

Cairns, N.J., Atkinson, P.F., Hanger, D.P., Anderton, B.H., Daniel, S.E., Lantos, P.L., Tau protein in the glial cytoplasmic inclusions of multiple system atrophy can be distinguished from abnormal tau in Alzheimer's disease, 49
Cannady, S.B., see Malinowski, M.N., 81
Castro, R., see Sajnani, G.G., 121
Chakravarty, D.N., Babb, T.L., Chung, C.-K., Mikuni, N., Bilateral kainic acid lesions in the rat hilus induce non-linear additive mossy fiber neoinnervation, 175
Cheng, T.P.-O., see Altura, B.T., 37
Chung, C.-K., see Chakravarty, D.N., 175
Citron, B.A., Zhang, S.X., Smirnova, I.V., Festoff, B.W., Apoptotic, injury-induced cell death in cultured mouse murine motor neurons, 25
Costentin, J., see Florin, S., 33
Cracco, R.Q., see Altura, B.T., 37
Crespi, F., Pietra, C., Middle cerebral artery occlusion alters neurotransmitter activities in ipsilateral and contralateral rat brain regions: an ex vivo voltammetric study, 77
Cruwys, S.C., see Garrett, N.E., 5
Császár, A., Kálmán, J., Szalai, C., Janka, Z., Romics, L., Association of the apolipoprotein A-IV codon 360 mutation in patients with Alzheimer's disease, 151

Daniel, S.E., see Cairns, N.J., 49
de Torres, C., Munell, F., Ferrer, I., Reventós, J., Macaya, A., Identification of necrotic cell death by the TUNEL assay in the hypoxic-ischemic neonatal rat brain, 1
Del Prete, E., see Lutz, T.A., 159
Di Pasquale, E., Lindsay, A., Feldman, J., Monteau, R., Hilaire, G., Serotonergic inhibition of phrenic motoneuron activity: an in vitro study in neonatal rat, 29
Dluzen, D.E., Anderson, L.I., Estrogen differentially modulates nicotine-evoked dopamine release from the striatum of male and female rats, 140
Dudel, J., see Adelsberger, H., 183

Eaton, M.J., Pagán, O.R., Hann, R.M., Eterović, V.A., Differential effects of dimethyl sulfoxide on nicotinic acetylcholine receptors from mouse muscle and *Torpedo* electrocytes, 163
Escames, G., Guerrero, J.M., Reiter, R.J., Garcia, J.J., Munoz-Hoyos, A., Ortiz, G.G., Oh, C.S., Melatonin and vitamin E limit nitric oxide-induced lipid peroxidation in rat brain homogenates, 147
Escurat, M., see Pettmann, B., 167
Eterović, V.A., see Eaton, M.J., 163

Feldman, J., see Di Pasquale, E., 29
Ferrer, I., see de Torres, C., 1
Festoff, B.W., see Citron, B.A., 25
Florin, S., Leroux-Nicollet, I., Meunier, J.-C., Costentin, J., Autoradiographic localization of [^{3}H]nociceptin binding sites from telencephalic to mesencephalic regions of the mouse brain, 33
Foddi, M.C., Mennini, T., [^{125}I][Tyr^{14}]Orphanin binding to rat brain: evidence for labelling the opioid-receptor-like 1 (ORL1), 105
Fujito, Y., see Kojima, S., 179

Galloway, M.P., see West, A.R., 21
Garcia, J.J., see Escames, G., 147
Garey, L.J., see Yan, X.X., 125
Garraway, S.M., Pockett, S., Hochman, S., Primary afferent-evoked synaptic plasticity in deep dorsal horn neurons from neonatal rat spinal cord in vitro, 61
Garrett, N.E., Cruwys, S.C., Kidd, B.L., Tomlinson, D.R., Effect of capsaicin on substance P and nerve growth factor in adjuvant arthritic rats, 5
Gemba, H., Miki, N., Sasaki, K., Kyuhou, S.-i., Matsuzaki, R., Yoshimura, H., Motivation-dependent activity in the dorsolateral part of the prefrontal cortex in the monkey, 133
Gemba, H., see Kyuhou, S.-i., 101
Godukhin, O., see Semyanov, A., 187
González-Sánchez, H., see Roldán, G., 93
Grundy, D., see Kreis, M.E., 89

PII S0304-3940(97)00540-5

Guerrero, J.M., see Escames, G., 147
Gyo, K., see Hakuba, N., 69

Hakuba, N., Gyo, K., Yanagihara, N., Mitani, A., Kataoka, K., Efflux of glutamate into the perilymph of the cochlea following transient ischemia in the gerbil, 69
Hanger, D.P., see Cairns, N.J., 49
Hann, R.M., see Eaton, M.J., 163
Hayashi, Y., see Tanaka, J., 171
Henchcliffe, C., Burke, R.E., Increased expression of cyclin-dependent kinase 5 in induced apoptotic neuron death in rat substantia nigra, 41
Hilaire, G., see Di Pasquale, E., 29
Hochman, S., see Garraway, S.M., 61
Hori, K., see Tanaka, J., 171
Hylland, P., see Winberg, S., 113

Ichitani, Y., see Matsukawa, M., 13
Ito, E., see Kojima, S., 179

Janka, Z., see Császár, A., 151
Jung, S.-C., see Shin, H.-C., 137

Kabuto, H., see Matsuura, K., 191
Kálmán, J., see Császár, A., 151
Kataoka, K., see Hakuba, N., 69
Kawai, N., see Matsukawa, M., 13
Khyentse, M.D., Rogers, L.J., Glutamate affects the development of the thalamofugal visual projection of the chick, 65
Kidd, B.L., see Garrett, N.E., 5
Kim, C.S., see Binienda, Z., 199
Kirchmair, E., see Kofler, N., 129
Kofler, N., Kirchmair, E., Schwarzer, C., Sperk, G., Altered expression of NPY-Y_1 receptors in kainic acid induced epilepsy in rats, 129
Kojima, S., Nanakamura, H., Nagayama, S., Fujito, Y., Ito, E., Enhancement of an inhibitory input to the feeding central pattern generator in *Lymnaea stagnalis* during conditioned taste-aversion learning, 179
Kolb, F., see Seki, K., 195
Kolb-Bachofen, V., see Bonmann, E., 109
Kreis, M.E., Zittel, T.T., Raybould, H.E., Reeve Jr., J.R., Grundy, D., Prolonged intestinal afferent nerve discharge in response to cholecystokinin-58 compared to cholecystokinin-8 in rats, 89
Kudo, N., see Seki, K., 195
Kyuhou, S.-i., Matsuzaki, R.-i., Gemba, H., Cerebello-cerebral projections onto the ventral part of the frontal cortex of the macaque monkey, 101
Kyuhou, S.-i., see Gemba, H., 133

Lantos, P.L., see Cairns, N.J., 49
Lappi, D.A., see Wiley, R.G., 97
Leroux-Nicollet, I., see Florin, S., 33
Li, S.-N., Bräter, M., Andreas, K., Nimodipine and nitrendipine inhibit N-type calcium channels in dibutyryl cAMP-differentiated neuroblastoma × glioma hybrid (NG 108–15) cells, 85
Lin, J.-H., see Lin, M.-T., 53
Lin, M.-T., Lin, J.-H., Yang, Y.-L., Dexamethasone administered into organum vasculosum laminae terminalis of rabbits induced antipyresis via inhibiting nitric oxide pathway in situ, 53
Lindsay, A., see Di Pasquale, E., 29
Lovick, T.A., see Stezhka, V.V., 57
Lutz, T.A., Rossi, R., Althaus, J., Del Prete, E., Scharrer, E., Evidence for a physiological role of central calcitonin gene-related peptide (CGRP) receptors in the control of food intake in rats, 159
Luz, O., see Schmelz, M., 117

Macaya, A., see de Torres, C., 1
Maeshima, T., see Matsukawa, M., 13
Makino, H., see Matsuura, K., 191
Malinowski, M.N., Cannady, S.B., Schmit, K.V., Barr, P.M., Schrock, J.W., Wilson, D.F., Adenosine depresses transmitter release but is not the basis for 'tetanic fade' at the neuromuscular junction of the rat, 81
Männistö, P.T., see Reenilä, I., 155
Mark, M.D., Storm, D.R., Antiproliferative activity of KCl contributes to EGF-induced neurite outgrowth in PC12 cells, 73
Matsukawa, M., Ogawa, M., Nakadate, K., Maeshima, T., Ichitani, Y., Kawai, N., Okado, N., Serotonin and acetylcholine are crucial to maintain hippocampal synapses and memory acquisition in rats, 13
Matsuura, K., Kabuto, H., Makino, H., Ogawa, N., Initial cyclosporin A but not glucocorticoid treatment promotes recovery of striatal dopamine concentration in 6-hydroxydopamine lesioned mice, 191
Matsuzaki, R., see Gemba, H., 133
Matsuzaki, R.-i., see Kyuhou, S.-i., 101
Memon, Z.I., see Altura, B.T., 37
Mennini, T., see Foddi, M.C., 105
Meunier, J.-C., see Florin, S., 33
Miki, N., see Gemba, H., 133
Mikuni, N., see Chakravarty, D.N., 175
Mitani, A., see Hakuba, N., 69
Monteau, R., see Di Pasquale, E., 29
Morenkov, E., see Semyanov, A., 187
Morris, R., see Thippeswamy, T., 9
Munell, F., see de Torres, C., 1
Munoz-Hoyos, A., see Escames, G., 147
Murai, Y., see Westh-Hansen, S.-E., 45

Nagayama, S., see Kojima, S., 179
Nakadate, K., see Matsukawa, M., 13
Nanakamura, H., see Kojima, S., 179
Nielsen, M., see Westh-Hansen, S.-E., 45
Nilsson, A., see Winberg, S., 113
Nilsson, G.E., see Winberg, S., 113
Noguchi, K., see Westh-Hansen, S.-E., 45
Nomura, M., see Tanaka, J., 171

Ogawa, M., see Matsukawa, M., 13
Ogawa, N., see Matsuura, K., 191
Oh, C.S., see Escames, G., 147
Oh, S., see Shin, H.-C., 137
Okado, N., see Matsukawa, M., 13
Onoe, H., see Takechi, H., 17
Ortiz, G.G., see Escames, G., 147

Pagán, O.R., see Eaton, M.J., 163
Park, S., see Shin, H.-C., 137
Pettmann, B., Escurat, M., Quirosa-Guillou, C., Thal, C., Portier,

M.-M., Sensenbrenner, M., Trophic action of pharmacological substances with a guanidine group on mouse neuroblastoma cells and chick ganglionic neurons in culture, 167
Pietra, C., see Crespi, F., 77
Pockett, S., see Garraway, S.M., 61
Portier, M.-M., see Pettmann, B., 167
Prado-Alcalá, R.A., see Roldán, G., 93

Quirarte, G.L., see Roldán, G., 93
Quirosa-Guillou, C., see Pettmann, B., 167

Raybould, H.E., see Kreis, M.E., 89
Reenilä, I., Tuomainen, P., Soinila, S., Männistö, P.T., Increase of catechol-O-methyltransferase activity in rat brain microglia after intrastriatal infusion of fluorocitrate, a glial toxin, 155
Reeve Jr., J.R., see Kreis, M.E., 89
Reiter, R.J., see Escames, G., 147
Reventós, J., see de Torres, C., 1
Rogers, L.J., see Khyentse, M.D., 65
Roldán, G., Bolaños-Badillo, E., González-Sánchez, H., Quirarte, G.L., Prado-Alcalá, R.A., Selective M1 muscarinic receptor antagonists disrupt memory consolidation of inhibitory avoidance in rats, 93
Romics, L., see Császár, A., 151
Rossi, R., see Lutz, T.A., 159

Sadato, N., see Takechi, H., 17
Sajnani, G.G., Abreu, P., Castro, R., Pre/postnatal dopamine D_1 receptor stimulation induces a differential reduction of serotonin levels in hippocampus and superior colliculus of puber rats, 121
Sasaki, K., see Gemba, H., 133
Scharrer, E., see Lutz, T.A., 159
Scheuer, T., see Adelsberger, H., 183
Schmelz, M., Luz, O., Averbeck, B., Bickel, A., Plasma extravasation and neuropeptide release in human skin as measured by intradermal microdialysis, 117
Schmit, K.V., see Malinowski, M.N., 81
Schrock, J.W., see Malinowski, M.N., 81
Schulz, R., see Ammer, H., 143
Schwarzer, C., see Kofler, N., 129
Seki, K., Kudo, N., Kolb, F., Yamaguchi, T., Effects of pyramidal tract stimulation on forelimb flexor motoneurons during fictive locomotion in cats, 195
Semyanov, A., Morenkov, E., Godukhin, O., The decreased susceptibility to the development of in vitro kindling-like state in hippocampal CA1 slices of rats sensitive to audiogenic seizures, 187
Sensenbrenner, M., see Pettmann, B., 167
Shimamune, S., see Tanaka, J., 171
Shin, H.-C., Won, C.-K., Jung, S.-C., Oh, S., Park, S., Sohn, J.-H., Interhemispheric modulation of sensory transmission in the primary somatosensory cortex of rats, 137
Shizuno, H., see Takechi, H., 17
Silverman, R., see Altura, B.T., 37
Smirnova, I.V., see Citron, B.A., 25
Söderstöm, V., see Winberg, S., 113
Sohn, J.-H., see Shin, H.-C., 137
Soinila, S., see Reenilä, I., 155
Sperk, G., see Kofler, N., 129
Spranger, M., see Bonmann, E., 109
Stezhka, V.V., Lovick, T.A., Projections from dorsal raphe nucleus to the periaqueductal grey matter: studies in slices of rat midbrain maintained in vitro, 57
Storm, D.R., see Mark, M.D., 73
Suschek, C., see Bonmann, E., 109
Szalai, C., see Császár, A., 151

Takechi, H., Onoe, H., Shizuno, H., Yoshikawa, E., Sadato, N., Tsukada, H., Watanabe, Y., Mapping of cortical areas involved in color vision in non-human primates, 17
Tanaka, J., Hayashi, Y., Shimamune, S., Hori, K., Nomura, M., Subfornical organ efferents enhance extracellular noradrenaline concentrations in the median preoptic area in rats, 171
Thal, C., see Pettmann, B., 167
Thippeswamy, T., Morris, R., Nerve growth factor inhibits the expression of nitric oxide synthase in neurones in dissociated cultures of rat dorsal root ganglia, 9
Tomlinson, D.R., see Garrett, N.E., 5
Tsukada, H., see Takechi, H., 17
Tuomainen, P., see Reenilä, I., 155

Watanabe, Y., see Takechi, H., 17
West, A.R., Galloway, M.P., Inhibition of glutamate reuptake potentiates endogenous nitric oxide-facilitated dopamine efflux in the rat striatum: an in vivo microdialysis study, 21
Westh-Hansen, S.-E., Noguchi, K., Witt, M.-R., Murai, Y., Nielsen, M., Akaike, N., Effects of 5-(4-piperidyl) isoxazol-3-ol (4-PIOL), a $GABA_A$ receptor partial agonist, on recombinant human $GABA_A$ receptors, 45
Wiley, R.G., Lappi, D.A., Destruction of neurokinin-1 receptor expressing cells in vitro and in vivo using substance P-saporin in rats, 97
Wilson, D.F., see Malinowski, M.N., 81
Winberg, S., Nilsson, A., Hylland, P., Söderstöm, V., Nilsson, G.E., Serotonin as a regulator of hypothalamic-pituitary-interrenal activity in teleost fish, 113
Witt, M.-R., see Westh-Hansen, S.-E., 45
Won, C.-K., see Shin, H.-C., 137

Yamaguchi, T., see Seki, K., 195
Yan, X.X., Garey, L.J., NADPH-diaphorase reactivity is reduced in the molecular layer but increased in the granular layer of primate cerebellum after prolonged anaesthesia, 125
Yanagihara, N., see Hakuba, N., 69
Yang, Y.-L., see Lin, M.-T., 53
Yoshikawa, E., see Takechi, H., 17
Yoshimura, H., see Gemba, H., 133

Zhang, A., see Altura, B.T., 37
Zhang, S.X., see Citron, B.A., 25
Zittel, T.T., see Kreis, M.E., 89